
State of Alaska
Department of Fish and Game
Nomination for Waters
Important to Anadromous File

Chugaeh 2

Segment 1-01= Tribl

WC Volume SE SC SW	W AR I	N USGS	Quad Seldo	Via A-5		
nadromous Water Catalo	g Number	of Waterway	242-1	0-1026	202-00	6
Name of Waterway		cal name				
addition \(\section \) Deletion	on					
						ě _
	0.1	250	Office Use	l mn		111010
Nomination #		JUL 1	•	1/1/9/24		
Revision Year:	Re	egional Sup	ervisor	Date		
Revision to: Atlas	Cat	talog	_ &	ONE	ño	12/27/93
		*		2 Aux	ue	2/1/94
Revision Code:	A.	2d	- Drafted			Date
		STAND SERVICE PROCESSANCE AS	A SOUL THE COURSE AND SERVE			
Species	Date(a)	OBSERVATI Observed	ON INFORMAT Spawning		Migration	Anadromous
Species			Spawning	50	Migracion	- Anadromous
Cohe Juvenila STickleback	9-12-				3	
31 HINACK						
pawning, rearing or mi bserved; sampling meth ttach a copy of a map s well as any other i earing habitat; locat: omments: Coho were dis vient. Stream width so cadient is A percent.	nods, samp showing l nformatio ions, type	oling duration of n such as: es, and height	ion and area mouth and of specific st ghts of any	bserved upp ream reache barriers;	opies of fie er extent of es observed a etc.	each species, as spawning or
						
*		1	SUNDE			
ame of Observer (plea		ALASKA DEPT. OF FISH & GAME				
ate: <u> </u>		NOV 0 3 1993				
A	ddress:	×	ASP BELLOY			
		NUCHO!	LAGE AK	99518	3.0	REGION II
his certifies that in vidence that this wat mportant for Spawning	erbody sh	nould be in	cluded in o	r deleted f	rom the Cata	alog of Waters
ignature of Area Biol	ogist.					Rev. 7/93

4										
STREAM HABITAT ASSESSMENT 1993 - SEGMENTS										
STREAM:	STREAM: Chugach 2 SEGMENT: 1-01 DATE: 9/12/83 TEAM: 145 DG ANADROMOUS: On WIDTH (m): 5-3 LENGTH (m): 40 GPS DATE: _/_/ DIGITIZE: y n									
WATERBOO	IY: mainsten	n tributary	ake/pand wet	land Inte	ertidal other:					
	FISH	н		WILDLIFE						
SPECIES	200000000000000000000000000000000000000	OUNT METHOD	W.W.111101001111111		SPECIES	COUNT	COMMENTS			
che	(A J U)	(E V 0))							
Stilles	8 8	a V		=						
Stickle	J	1 1								
				=						
GRADIENT(2	x):	CHANNEL P	ROFILE: V	_ _ _ _	<u>ک</u> ک	/	•			
CHANNEL P	PATTERN: (sin	multi bi	^	в	U .	,				
STREAM SL	UBSTRATE :				BBLE COB					
(rank three	e most ant types)						OTHER:			
STREAM COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS LOGS BOULDERS CUT BANK OVERHANGING VEGET OTHER:										
STREAM CO	STREAM COVER ABUNDANCE: none low medium high									
RIPARIAN Y	VEGETATION (three most ab	undant plants in	n order c	of dominance) w	ithin 20r	n of the banks:			
OVERS	TORY:	pruce		Dei k	Club	<u></u>	21 . 9			
1	OVERSTORY: SPRUCE UNDERSTORY: FORM Devik Club Blue Berry									
1			medium filgh		ikeg intertidal					
	- the same of the			A /						
TOTAL BARRIER? () n BARRIER TO SPECIES: A! odults juveniles TYPE: fall silde beaverdam logiage spring) substrate HEIGHT (m): MA DIST. FROM UPPER EXTENT (m):										
PHOTO ROLL	The same of the sa									
FRAME		RIPTION			VIDEO TAPE(s):					
		Sequen	+	DATE	DATE DESCRIPTION					
	DT	-3								
STATE OF THE PARTY	Substrate: Bedrock (solid) Boulder >1' Rubble 6-12" Cobble 2-6" Gravel .1-2" Sand <.1"									
(Please enter comments on the other side)										



MEMORANDUM

State of Alaska

DEPARTMENT OF FISH & GAME

Ed Weiss TO:

FROM:

November 3, 1993 DATE:

Habitat Biologist

Kathrin Sundet

FILE NO.: Region II

Habitat and Restoration Division

Department of Fish and Game TELEPHONE NO.:

SUBJECT: Anadromous Stream

Nominations

and Corrections Project R-51

Habitat Biologist Region II

Habitat and Restoration Division

Department of Fish and Game

Attached are anadromous stream nominations and corrections to be included in the Anadromous Waters Catalog for 74 streams surveyed in the fall of 1993 on private lands held by the Port Graham, English Bay and Seldovia Native Corporations on the outer Kenai Peninsula.

Streams were surveyed by the Alaska Department of Fish and Game, Habitat and Restoration Division personnel, Kathrin Sundet, Jeff Barnhart, Dan Grey, and Wes Ghormley as part of Exxon Valdez Oil Spill Restoration project R-51 aka SHA (Stream Habitat Assessment).

Streams were surveyed on foot from the intertidal zone to the upper extent of anadromous fish distribution. Adult salmon and Dolly Varden were visually identified and enumerated. Juvenile salmon were visually identified in the stream, and then captured electroshocking, dipnet, or minnow trap to confirm identification. Sampling was conducted periodically along the stream to determine the presence of juvenile salmon. No attempt was made to determine the rearing population sizes of juvenile salmon, or to determine the total escapement of adult salmon in a stream.

Stream data are on file at the Alaska Department of Fish and Game, Habitat and Restoration office, 333 Raspberry Road, Anchorage, Alaska.

cc: Lance Trasky Don McKay Mark Kuwada

ALASKA DEPT. OF FISH & GAME

NOV 0 3 1993

REGION II MOITACOTESS CWA T. ..